



## CONVOLUTIONAL NEURAL NETWORK DEEP LEARNING AND DIGITAL TWIN TECHNOLOGY FOR INTRUSION DETECTION, REAL-TIME ANALYTICS AND DIGITAL TRANSFORMATION OF THE OIL & GAS INDUSTRY: A REVIEW OF LITERATURE

\*<sup>1</sup>Tose E. Oziegbe, <sup>2</sup>Arnold A. Ojugo, <sup>3</sup>Abel E. Edje, and <sup>4</sup>Asemewalen N. Osezele

<sup>1</sup>Department of Computer Science, Delta State University Abraka, Nigeria.

<sup>2</sup>Department of Computer Science, Federal University of Petroleum Resources, Effurun, Delta State, Nigeria

<sup>3</sup>Department of Computer Science, Delta State University Abraka, Nigeria.

<sup>4</sup>Department of Computer Science, Federal College of Education, Katsina State, Nigeria.

\*Corresponding authors' email: [toseoziegbe@gmail.com](mailto:toseoziegbe@gmail.com)

### ABSTRACT

The oil and gas sector deals mostly with physical infrastructure and digital control systems, exposed to challenging cyber-physical risks because of increasing use of digital technology through upstream, midstream, and downstream operations. Industrial control systems (ICS), SCADA platforms, and IIoT devices face serious cyber-attacks and physical intrusions which conventional rule-based detection methods are unable to handle. The use of digital twin (DT) and convolutional neural networks (CNN) have become a very prized approach for achieving best results. In this systematic literature review, PRISMA framework was used. Peer-reviewed CNN and DT studies published between 2017 and 2026 were properly synthesized, covering their architectures, performance benchmarks, dataset dependencies, and challenges of deployment. CNN-based models that includes 1D-CNN, CNN-LSTM, and attention-enhanced hybrids achieved detection rates above 88% and F1-scores that exceeded 0.91. Several architectures had over 97% accuracy of classification when put to test under real world field conditions. Digital Twin frameworks also had similar operational benefits that could be measured; reduction of simulation time in reservoirs by 78%, lowering unproductive drilling time by 45% and the detection of LNG rollover risk in 48-hours. Despite these advances, gaps still exist; labeled datasets are scarce, models generalize during attacks identification, and DT fidelity when may vary during real-world application. This review identifies CNN-DT architectures as a critical solution, and makes it clear that combining physics-constrained deep learning, federated training, and explainable anomaly processes are promising pathways to achieve a unified intelligent security and operational analytics framework for the oil and gas sector.

**Keywords:** Convolutional Neural Networks; Digital Twin; Intrusion Detection Systems; Oil and Gas Security; Operational Technology; SCADA

### INTRODUCTION

With its upstream exploration and production, midstream transportation, and downstream refining and distribution, the oil and gas industry is perhaps the most important and intricate infrastructure sector in the world. Supervisory control and data acquisition (SCADA) systems as well as other digital control and monitoring systems continually being developed, are very important to each segment of the oil and gas industry (Das et al., 2025). Some of the strategic models already in existence improves autonomous inspection of vehicles, SCADA platforms, distributed control systems (DCS), and industrial Internet of Things (IIoT) sensors (Edje et al., 2021). The connections shared by these models increases efficiency of operation but also exposes utilized facilities to several cyber threats (Correa et al., 2023), they have been seriously affected by intrusions and anomalous activities (Ojugo et al., 2021). Security challenges causes much harm in the industrial operational technology (OT) contexts, this is evident from several incidence that has occurred in the past (Gehrmann et al., 2022). Without carrying out an efficient and effective IoT analysis, pipelines, CNNs and digital twins would not have enough quality input data to function, and this would affect the values of their outputs (Edje et al., 2023). However, in order for digital transformation to take place, two very connected methods have become very important for the executing the industry's strategy. First, without manual feature engineering; convolutional neural networks (CNNs) show increase in their efficiency at extracting spatial and temporal patterns from

sensor streams that possesses high dimensional data from network traffic, auditory signals or video feeds (Tose et al., 2026). Second, digital twin (DT) technology makes a timely decision support possible for assets, systems, and enterprise scales. It also covers predictive analytics and what-if simulations. DT creates dynamic, constantly updated virtual replicas of physical assets and processes (Grieves et al., 2023). Studies focused on CNN dealt with audio anomaly detection, visual surveillance, or network penetration. Furthermore, DT research in the oil and gas industry centered on production throughput, drilling optimization, and management of reservoirs. This review emphasizes the fact that, an integrated conceptual and methodical framework that merges both perspectives throughout the oil and gas value chain, serves as a roadmap for next-generation intelligent security, real-time analytics, and digital transformation of the sector.

### Research Objectives

This investigation is based on the following research objectives, to:

- (i) Systematically identify, evaluate, and synthesize peer-reviewed research on the application of convolutional neural networks (CNNs) to intrusion detection within operational technology (OT) environments in the oil and gas industry.
- (ii) Critically evaluate digital twin (DT) frameworks deployed across upstream, midstream, and downstream oil and gas operations, with particular

- (iii) Analyse the emerging convergence between CNN-based intrusion detection and digital twin simulation environments, examining how integrated CNN-DT architectures resolves critical challenges in the named sector.
- (iv) Identify future research directions in the use of convolutional neural networks (CNNs) and digital twin (DT) models for intrusion detection, real-time analysis and enhancement of the oil and gas industry.

**Scope of the Study**

In addition to digital twin frameworks used for simulation, monitoring, predictive analytics, and decision support in the oil and gas operations, the paper presents CNN and deep learning architectures used for intrusion detection, anomaly detection, and recognizing cyber and physical threats. The oil and gas sector is covered, including pipeline distributed optic sensing, shaft unbalance detection in industrial machines based on vibrations, SCADA controllers, drillstring vibration prediction and fatigue life assessment, and others. Excluded were studies that dealt only with information technology (IT) network intrusion and had no bearing on industrial OT.

**MATERIALS AND METHODS**

This systematic literature review was conducted following the preferred reporting items for systematic reviews and meta-analyses (PRISMA) framework. IEEE Xplore, Scopus, Web of Science, ACM Digital Library, and Google Scholar were among the electronic databases that were searched using Boolean search strings that combined terms like ('convolutional neural network' OR 'deep learning' OR 'CNN') AND ('intrusion detection' OR 'anomaly detection' OR 'cybersecurity') AND ('oil and gas' OR 'SCADA' OR 'ICS' OR 'OT' OR 'pipeline' OR 'LNG') for the CNN strand, and ('digital

twin') AND ('oil and gas' OR 'reservoir' OR 'pipeline' OR 'refinery' OR 'LNG' OR 'wellbore') for the DT strand.

Studies were included if they: (i) clearly addressed industrial or oil and gas OT applications; (ii) provided results that could be measured; (iii) detailed model designs and datasets with enough information that could be repeated; (iv) were published in publications reviewed by peers or conference proceedings between 2017 and 2026: Studies that provided DT frameworks without sufficient validation or that only addressed IT network infiltration without any industrial OT significance were not included.

Table 1 shows peer-reviewed research on the use of convolutional neural network (CNN) for intrusion detection in the operational technology (OT) environments of oil and gas industry. The crucial relevance of the named deep learning methodology has been identified, evaluated and thoroughly synthesized. Table 2 presents the summary of CNN deep learning applications for intrusion and anomaly detection in the oil and gas industry. Various architectures, modelling paradigms, and operational performance of Digital Twin (DT) frameworks deployed across the oil and gas functions has been shown in table 3; while the summary of the corresponding literature has been shown in table 4.

**RESULTS AND DISCUSSION**

Table 1 shows peer-reviewed research on the use of convolutional neural network (CNN) for intrusion detection in the operational technology (OT) environments of oil and gas industry. The crucial relevance of the named deep learning methodology has been identified, evaluated and thoroughly synthesized. Table 2 presents the summary of CNN deep learning applications for intrusion and anomaly detection in the oil and gas industry. Various architectures, modelling paradigms, and operational performance of Digital Twin (DT) frameworks deployed across the oil and gas functions has been shown in table 3; while the summary of the corresponding literature has been shown in table 4.

**Table 1: Convolutional Neural Networks (CNNs) for Intrusion Detection Systems in the Oil and Gas Industry**

AUTHOR(S) & YEAR	TITLE	CNN ARCHITECTURE	DATASET / ENVIRONMENT	FINDINGS	RELEVANCE TO OIL & GAS IDS
Sima et al. (2025)	Real-Time Classification of Distributed Fiber Optic Monitoring Signals Using a 1D-CNN-SVM Framework for Pipeline Safety	1D-CNN + SVM hybrid	Distributed Fiber Optic (DFO) sensor data from oil/gas pipelines	Achieved high-accuracy real-time classification of pipeline events (e.g., leaks, third-party intrusions). Demonstrated robust performance under noise.	Directly applicable to pipeline intrusion detection in the oil and gas sector; hybrid 1D-CNN-SVM improves detection accuracy for physical security threats.
Tomasov et al. (2025)	Advancing Perimeter Security: Integrating DAS and CNN for Object Classification in Fiber Vicinity	CNN (multi-class)	Distributed Acoustic Sensing (DAS) signals from fiber-optic perimeter sensors	CNN integrated with DAS successfully classified objects (humans, vehicles, animals) near fiber-optic perimeters with high precision. Real-time processing was validated in field conditions.	Perimeter protection for oil and gas facilities; CNN-DAS integration enables automated threat classification without manual monitoring.
Zhumadillayeva et al. (2025)	An Intelligent YOLO and CNN BiGRU Framework for Road Infrastructure Based Anomaly Assessment	YOLO + CNN-BiGRU hybrid	Road infrastructure sensor and camera feeds	Combined YOLO-based object detection with CNN-BiGRU for temporal anomaly detection. Achieved high accuracy in detecting structural and behavioral anomalies on road infrastructure.	CNN-BiGRU framework transferable to oil & gas pipeline and facility anomaly detection; demonstrates multi-modal CNN integration for IDS applications.
Yadav et al. (2022)	Variable Dropout One-Dimensional CNN for Vibration-Based	1D-CNN with variable dropout	Vibration sensor data from industrial rotating machinery	Variable dropout in 1D-CNN improved generalization and fault detection accuracy for	Applicable to rotating equipment monitoring in oil & gas; variable dropout CNN can

AUTHOR(S) & YEAR	TITLE	CNN ARCHITECTURE	DATASET / ENVIRONMENT	FINDINGS	RELEVANCE TO OIL & GAS IDS
	Shaft Unbalance Detection in Industrial Machinery			shaft unbalance conditions. Outperformed standard CNN baselines on imbalanced datasets.	enhance reliability of machinery-based intrusion/anomaly detection systems.
Zhang et al. (2023)	Real-Time Pipe Structure Change Detection and Classification using Distributed Acoustic Fiber Sensors Based on CNN Models	CNN (2D spectrogram input)	Distributed Acoustic Sensing (DAS) data from pipeline test beds	CNN models applied to spectrograms of DAS signals enabled accurate, real-time detection of pipe structural changes (corrosion, leaks, impacts). Validated on physical pipeline testbeds.	High direct relevance; addresses structural intrusion and anomaly detection in oil and gas pipelines using CNN with acoustic sensor data.
Qin et al. (2025)	Identification and Classification of Oil and Gas Pipeline Intrusion Events Based on 1-D CNN Network	1D-CNN	Field-recorded pipeline intrusion event signals (oil and gas context)	1D-CNN accurately identified and classified multiple pipeline intrusion event types (excavation, walking, and vehicles). Achieved >97% classification accuracy on real-world signals.	Core contribution to CNN-based IDS for oil and gas pipelines; provides a direct benchmark for intrusion event classification.
Prayogi (2025)	Implementation of CNN-Based Computer Vision for Personal Protective Equipment Detection in the Oil and Gas Industry	CNN (computer vision / image classification)	PPE image dataset from oil and gas operational sites	CNN-based model successfully detected compliance/non-compliance with PPE regulations in real-time using CCTV feeds. Achieved over 90% detection accuracy in industrial environments.	Demonstrates CNN deployment in the oil and gas industry for safety monitoring; extensible to broader facility intrusion and personnel access control detection.
Umer et al. (2026)	Attention Mechanism-Based CNN-LSTM Hybrid Deep Learning Model for Industrial Pipeline Leak Detection	CNN-LSTM with attention mechanism	Industrial pipeline sensor data (pressure, flow, acoustic)	Attention-enhanced CNN-LSTM outperformed standalone CNN and LSTM models for leak detection. The attention mechanism improved sensitivity to subtle anomalous patterns in multivariate sensor streams.	Attention-based CNN-LSTM directly addresses pipeline leak and intrusion detection in industrial settings; highly relevant to oil and gas IDS architectures.
Wei et al. (2025)	Anomaly Detection in Borehole Strain Data with CNN and Frequency-Aware VAE	CNN + Frequency-Aware VAE	Borehole strain sensor data from subsurface monitoring	Hybrid CNN and variational autoencoder (VAE) with frequency-awareness improved detection of subsurface anomalies. Unsupervised anomaly scoring reduced reliance on labeled datasets.	Relevant to subsurface and borehole monitoring in oil and gas; CNN-VAE hybrid supports anomaly-based intrusion detection with limited labeled data.
Kravchik et al. (2018)	Detecting Cyber Attacks in Industrial Control Systems Using Convolutional Neural Networks	1D-CNN (time-series)	SWaT (Secure Water Treatment) ICS dataset	1D-CNN applied to ICS sensor time-series achieved competitive cyber-attack detection with low false positive rates. Demonstrated superiority over traditional ML approaches for sequential ICS data.	Foundational CNN-based cyber IDS framework applicable to SCADA/ICS environments in oil and gas; establishes CNN efficacy for industrial cyber threat detection.
Alom et al. (2017)	Network Intrusion Detection for Cyber Security Using Unsupervised Deep Learning	Deep Autoencoder / Unsupervised CNN	NSL-KDD network intrusion dataset	Unsupervised deep learning model detected novel network intrusion patterns without labeled data. Demonstrated scalability for large-scale industrial network traffic analysis.	Relevant to network-layer IDS in oil and gas operational technology (OT) networks; unsupervised approach addresses labeled data scarcity in industrial cybersecurity.

Note: CNN = Convolutional Neural Network; IDS = Intrusion Detection System; DAS = Distributed Acoustic Sensing; ICS = Industrial Control System; SCADA = Supervisory Control and Data Acquisition; VAE = Variational Autoencoder; BiGRU = Bidirectional Gated Recurrent Unit; LSTM = Long Short-Term Memory; PPE = Personal Protective Equipment.

**Table 2: Summary of CNN Deep Learning Applications for Intrusion and Anomaly Detection in Oil & Gas**

Application Area	Key Technique	Best Metric	Primary Dataset	Tools
Pipeline Safety (Physical Intrusion)	1D-CNN + SVM hybrid	Acc: 97.2%, F1: 0.96	Custom DFO pipeline sensor data	TensorFlow, scikit-learn
Perimeter Security / DAS	CNN (multi-class), DAS integration	Acc: 95.8%, F1: 0.94	Custom DAS fiber-optic field data	PyTorch, librosa
Road / Infrastructure Anomaly	YOLOv5 + CNN-BiGRU hybrid	mAP: 91.4%, Acc: 93%	Road infrastructure sensor & camera feeds	PyTorch, OpenCV
Industrial Machinery Fault Detection	1D-CNN with Variable Dropout	Acc: 96.5%, F1: 0.95	Custom vibration sensor (rotating machinery)	TensorFlow, MATLAB
Pipeline Change / DAS	CNN (2D spectrogram on DAS signals)	F1: 0.971, Acc: 98%	Custom DAS pipeline testbed (50 km)	PyTorch, librosa
Oil & Gas Pipeline Intrusion	1D-CNN (time-series classification)	Acc: 97.3%, F1: 0.97	Field-recorded pipeline intrusion signals	TensorFlow, Python
PPE / Behavior Detection (Oil & Gas)	CNN (Faster R-CNN, image classification)	mAP: 94.1%, Acc: 91%	PICTOR PPE dataset, custom oil & gas site	TensorFlow, OpenCV
Pipeline Leak Detection	CNN-LSTM with Attention Mechanism	Acc: 98.1%, DR: 97%	Industrial pipeline multi-sensor data	PyTorch, NI DAQ
Borehole / Subsurface Anomaly	CNN + Frequency-Aware VAE	Recall: 93%, Acc: 93.7%	Borehole strain sensor data (custom AE)	ObsPy, PyWavelets
SCADA / ICS Cyber Attack	1D-CNN (ICS time-series)	DR: 96%, F1: 0.95	SWaT (Secure Water Treatment) ICS	TensorFlow, PyTorch
Network Intrusion (OT/IT)	Unsupervised Deep Autoencoder-CNN	DR: 91.3%, F1: 0.912	NSL-KDD network intrusion dataset	TensorFlow, Scapy

Note: Acc = Accuracy; DR = Detection Rate; F1 = F1-Score; mAP = Mean Average Precision; DAS = Distributed Acoustic Sensing; DFO = Distributed Fiber Optic; ICS = Industrial Control System; SCADA = Supervisory Control and Data Acquisition; VAE = Variational Autoencoder; BiGRU = Bidirectional Gated Recurrent Unit; LSTM = Long Short-Term Memory; PPE = Personal Protective Equipment; OT = Operational Technology.

**Table 3: Digital Twin Technology for Real-Time Analytics of the Oil and Gas Industry**

AUTHOR(S) & YEAR	TITLE	TECHNOLOGY USED	APPLICATION AREA	FINDINGS
Abdullah et al. (2025)	Utilizing Machine Learning and Digital Twin Technology for Rock Parameter Estimation from Drilling Data	Machine Learning + Digital Twin	Rock parameter estimation from drilling data	Demonstrated improved accuracy in estimating rock parameters using ML and DT integration, enabling real-time drilling optimization
Fei et al. (2021)	A Digital Twin-Based Approach for Optimization and Prediction of Oil and Gas Production	Digital Twin + Predictive Modeling	Oil and gas production optimization & prediction	Shown that DT-based models can significantly enhance production forecasting accuracy and enable dynamic optimization of field operations
Balachandran et al. (2023)	Integrated Operations System: Implementation of a Truly Integrated Digital Oil Field and Development of Digital Twin	Digital Twin + Integrated Operations	Digital oilfield integration and management	Established a framework for a fully integrated digital oilfield using DT, enabling seamless real-time data flow and remote operations
Correa et al. (2023)	Process Safety Management in Oil and Gas Operating Units Through Digital Twin Platform	Digital Twin + Process Safety	Safety control and process intervention in O&G units	Demonstrated that DT platforms can enhance process safety management by enabling real-time monitoring and proactive hazard intervention
Don et al. (2023)	A Digital Twinning Methodology for Vibration Prediction and Fatigue Life Prognosis of Vertical Oil Well Drillstrings	Digital Twin + FEA/Vibration Modeling	Drillstring vibration prediction and fatigue life assessment	Developed a DT methodology that accurately predicts vibration behavior and forecasts fatigue life, supporting proactive drillstring maintenance
Alabbad et al. (2026)	An Intelligent Predictive Maintenance Architecture for Substation Automation: Real-World Validation of a Digital Twin and AI Framework of the Badra Oil Field Project	AI + Digital Twin (Predictive Maintenance)	Substation automation & maintenance in oilfield	Validated an AI-DT framework for predictive maintenance at Badra oilfield, demonstrating reduced downtime and improved substation reliability
Bukhtoyarov et al. (2026)	A Physics-Informed Combinatorial Digital Twin for Value-Optimized Production of Petroleum Coke	Physics-Informed Digital Twin	Petroleum coke production optimization	Introduced a physics-informed combinatorial DT that optimizes coke yield and quality while reducing energy consumption in refinery operations
Das et al. (2025)	A Convolutional Neural Network LSTM Based Physical Sensor Anomaly Detector for Interdependent SCADA Controllers	CNN-LSTM + SCADA Integration	Sensor anomaly detection in SCADA systems	CNN-LSTM model achieved high accuracy in detecting physical sensor anomalies in interdependent SCADA controllers, enhancing cybersecurity and operational reliability

AUTHOR(S) & YEAR	TITLE	TECHNOLOGY USED	APPLICATION AREA	FINDINGS
Priyanka et al. (2021)	Digital Twin For Oil Pipeline Risk Estimation Using Prognostic and Machine Learning Techniques	Digital Twin + ML (Prognostics)	Pipeline risk estimation and health monitoring	Developed a DT model combining prognostics and ML to accurately estimate pipeline risk levels, enabling timely maintenance and failure prevention
Riffat et al. (2025)	AI-Enhanced Damage Detection in Jack-Up Rig Legs Using an Improved Modal Strain Energy Index: A Numerical, Experimental, and Digital Twin-Based Approach	AI + Digital Twin + Modal Analysis	Structural damage detection in jack-up rig legs	Combined AI, improved modal strain energy index, and DT to reliably detect structural damage in jack-up rigs, improving offshore safety inspection

**Note:** DT = Digital Twin; ML = Machine Learning; CNN-LSTM = Convolutional Neural Network – Long Short-Term Memory; SCADA = Supervisory Control and Data Acquisition; FEA = Finite Element Analysis; AI = Artificial Intelligence.

**Table 4: Summary of Digital Twin Technology Applications across the Oil and Gas Value Chain**

DT Application Area	Core Technique	Key Achievement	Tools	Performance Metric
Drilling Optimization	ML + DT Rock Parameter Estimation	Real-time rock property prediction; improved drilling efficiency	ML algorithms, Digital Twin framework	Estimation accuracy, drilling ROP
Production Optimization	DT-Based Predictive & Optimization Model	Enhanced production forecasting; dynamic field optimization	Numerical simulation, DT platform	Production rate, recovery factor
Integrated Oilfield	Digital Integrated Operations DT System	Seamless real-time data flow; full remote operations enabled	Integrated Operations System (IOS), DT platform	Operational uptime, integration KPIs
Process Management	Safety DT-Based Safety Control Platform	Real-time hazard monitoring; proactive process intervention	Digital Twin platform, safety sensors	Safety incident rate, response time
Drillstring Integrity	Vibration DT + FEA Fatigue Prognosis	Accurate vibration prediction; fatigue life forecasting	FEA solver, DT simulation framework	Fatigue life (cycles), vibration amplitude
Substation Maintenance	Predictive AI + DT Predictive Maintenance Architecture	Reduced downtime; improved substation reliability at Badra oilfield	AI framework, Digital Twin, SCADA	Maintenance accuracy, downtime reduction %
Refinery / Coking Units	Physics-Informed Combinatorial DT	Optimized coke yield & quality; reduced energy consumption	Physics-informed DT, process simulation	Coke yield %, energy consumption (GJ/ton)
Cybersecurity / SCADA	CNN-LSTM Anomaly Detection for SCADA	High-accuracy physical sensor anomaly detection; enhanced cyber-resilience	CNN-LSTM model, SCADA controllers	Detection accuracy %, false positive rate
Pipeline Risk & Monitoring	DT + ML Prognostic Risk Estimation	Accurate pipeline risk level estimation; timely failure prevention	ML prognostics, Digital Twin platform	Risk index, RMSE, MTTF
Offshore Integrity	Structural AI + DT Modal Strain Energy Damage Detection	Reliable damage detection in jack-up rig legs; improved inspection safety	FEA, modal analysis, DT simulation, AI	Damage index, detection sensitivity

**Note:** DT = Digital Twin; ML = Machine Learning; CNN-LSTM = Convolutional Neural Network–Long Short-Term Memory; FEA = Finite Element Analysis; SCADA = Supervisory Control and Data Acquisition; AI = Artificial Intelligence; ROP = Rate of Penetration; MTTF = Mean Time To Failure; RMSE = Root Mean Square Error.




Figure 1: Structural Components of Convolutional Neural Networks (Jihado et al., 2024)




Figure 2: Digital Twin Frame Diagram for Oil and Gas Production (Shen et al., 2021)

**Discussion**

Figure 1 depicts the structural components of a convolutional neural network (Jihado et al., 2024) while figure 2 shows digital twin frame diagram for oil and gas production (Shen et al., 2021). The findings from recent studies reviewed by peers, shows that convolutional neural networks (CNNs) and digital twin (DT) technologies have the potential to improve the oil and gas industry, when they are applied for the detection of intrusions, carrying out analysis in real time, and other wider areas of making digital changes.

**CNN-Based Intrusion Detection: Performance, Architecture, and Deployment Implications**

The reviewed studies based on CNN has presented intrusion and anomaly detection results which are important to note, across many domains of operation within the oil and gas sector. Architectures of CNN with only one dimension has been very effective for managing time series data (Tose et al., 2025), those derived from distributed acoustic sensing (DAS), vibration sensors, and SCADA telemetry streams. Qin et al., (2025) attained a classification accuracy that was over 97% for intrusion detection in pipelines, in real world field conditions. Kravchik et al., (2018) showed that 1D-CNNs applied to ICS sensor sequences performed better than conventional machine learning methods that were used for detecting cyber-attacks in operational technology environments. In a similar way, the CNN-LSTM architecture having attention mechanisms that was proposed by Umer et al., (2026) achieved a 98.1% detection accuracy for pipeline leaks, underscoring the value of hybrid temporal-spatial modelling for multivariate industrial sensor streams. LSTM has unique capability for carrying out guided feature extractions (Ojugo et al., 2025). Across the studies focused on CNN that were represented in table 1 and table 2, a clear evolving architecture is evident: from standalone 1D-CNN classifiers toward multi-modal hybrid models that integrate recurrent components (LSTM, BiGRU), attention mechanisms, and generative modules such as variational autoencoders (VAE). This progression is driven by the increasing heterogeneity of operational technology (OT) data sources in oil and gas environments, where a single asset may generate simultaneous inputs from acoustic emission sensors, pressure transducers, camera feeds, and network traffic logs. The hybrid of YOLO and CNN-BiGRU that was proposed by Zhumadillayeva et al., (2025) has shown this trend in a unique

way, by combining the detection of object with temporal anomaly recognition, achieving a mean average precision of 91.4% for infrastructure anomalies. Such architectures are directly transferable to offshore facility perimeter monitoring and pipeline corridor surveillance, two areas identified as needing advanced security solutions in the sector. A recurring deployment challenge identified across the CNN literature is the dependency on curated, labeled datasets. Most high-performing models in Table 2 were validated on domain-specific datasets, whether custom DFO pipeline sensor recordings, proprietary DAS testbed data, or controlled laboratory environments. This gap is particularly acute for rare attack scenarios, such as low-and-slow SCADA reconnaissance or GPS spoofing targeting unmanned offshore platforms, where labeled examples are very scarce.

**Digital Twin Frameworks: Measurable Operational Benefits and Integration Paradigms**

The digital twin studies synthesized in tables 3 and 4 demonstrate that DT technology has matured beyond conceptual deployments. They are more involved with operationally validated frameworks that deliver measurable efficiency gains, across the entire oil and gas value chain. The upstream sector benefits most comprehensively, physics-informed DT models for reservoir management have achieved a 78% reduction in simulation time compared to conventional numerical methods. Drilling optimisation systems assisted by DT, such as those reported by Abdullah et al., (2025) reduced drilling time that was not productive by 45%, making use of the feedback they got from the optimisation of mud weight in real time and geomechanical activities. Physics-informed combinatorial DT was introduced by Bukhtoyarov et al., (2026). They showed that when petroleum coke is produced, including conditions from thermodynamics that are specific to domains directly into loss functions of neural networks, brings down prediction challenges. The risk of predictions that may not be physically achieved exists, where models are driven only by pure data, when they are under distribution shift conditions. The implication is very significant to practitioners deploying DT systems in OT environments where costs involved are high. They should not depend only on methods driven by data but also include physical equations that would oversee the data in a systematic way, in order to ensure predictions made are reliable, when operating conditions are not nominally executed.

The AI-DT framework that was validated by Alabbad et al., (2026) has further confirmed that architectures executing predictive maintenance with the use of DT simulations reduce unplanned equipment downtime at operational oilfields. This has a direct implication economically, for managing the lifecycle of assets. These findings put together, makes DT technology not merely a monitoring tool for carrying out operations but a strategic asset for making decisions where risks are involved, across upstream, midstream, and downstream oil and gas operations.

#### **Convergence of CNN and Digital Twin Paradigms: Toward a Unified Security and Analytics Architecture**

The convergence between detecting intrusions based on convolutional neural networks and digital twin simulation environments has been the important goal of this review. Das et al., (2025) provided a direct evidence of this convergence, their CNN-LSTM model was placed within an integrated SCADA digital twin framework. They identified anomalies with a high accuracy in physical sensors across interdependent ICS controllers. This showed that virtual copies of DT could be used as a reference model for scoring anomalies and as a sandboxed environment for carrying out adversarial simulation and model retraining, at the same time. According to the studied literature, CNN deep learning and digital twin technologies have basic complementary features in common that, when put together, better improvements are attained that neither of the methods would accomplish on its own. Without the need for feature engineering in specific domains, CNNs are very good at extracting features in a discriminative manner from raw data (Tose et al., 2026). This could be from noisy sensor data that has high dimensions such as packets of networks, acoustic waveforms, video frames, and spectrograms of radio frequencies. However, CNNs have a low capacity to differentiate real abnormal values from various physical processes because they put the patterns they find in their input into categories, without knowing the basic physical or operational processes that produce those patterns. On the other hand, digital twins' offers physical context, using simulation models to forecast expected sensor data under typical operating settings (Barreto et al., 2022). Integrated solutions reduces false alarms to very low value while giving operators at the same time, physically understandable explanations for identified anomalies. This is accomplished through the comparing of intrusive patterns detected by CNN against normal baselines predicted by DT. Not only are anomalies identified, the physical transformation process that aligns with corresponding findings are also recorded. Next-generation intelligent oil and gas security systems are distinguished by their combination of generative physical modeling and discriminative learning.

#### **CONCLUSION**

The utilization of CNN deep learning and digital twin technologies in the security, monitoring, and operational analytics sectors of the oil and gas industry has been carefully investigated in this research. Both paradigms exhibit significant technical maturity, as evidenced by the examined literature. Digital twin frameworks have delivered quantifiable operational benefits across the full oil and gas value chain: a reduction in reservoir simulation cycle time, a reduction in non-productive drilling time, sub-kilometre pipeline leak localisation, advance detection of LNG rollover risk, and extended fatigue inspection intervals for offshore jacket structures grounded in probabilistic risk quantification. CNN-based deep learning has demonstrated robust and generalisable capability for intrusion and anomaly detection

across several distinct application domains within oil and gas OT environments. CNN consistently achieve detection rates above 91% and F1-scores exceeding 0.91 across different threat modalities. These results confirm CNN-based IDS as a technically mature approach for physical and cyber-physical threat recognition in industrial operational technology environments. Emerging hybrid architectures such as federated learning DTs, physics-constrained CNNs and CNN-Attention hybrids for distributed sensing, shows a convergence trajectory. This trajectory suggests an integrated paradigm that combines the causal explanatory ability of physics-based simulation with the pattern recognition power of deep learning. In order to address enduring issues with labeled data availability, edge hardware limitations, model drift, adversarial robustness and operator interpretability; it is necessary to achieve this convergence at practical scale. Limitations to be acknowledged are as follows: studies reporting negative results, failed deployments, or marginal performance improvements are less likely to appear in peer-reviewed journals, and this review reflects the field as it is published. Second, proprietary research conducted by major oil and gas operators and oilfield services companies, are mostly not disclosed in the public literature for commercial and security reasons. The creation of standardized oil and gas attack scenario datasets that supplement current public benchmarks with industry-specific threat models should be the top priority for future research. In addition, it is crucial to carry out a thorough assessment of CNN models that supports continual learning, sensitive to changing threat patterns. Second, frameworks with increased quantitative capacity should be created for DT-CNN fusion that officially resolves uncertainty from detection networks and simulation models. Thirdly, operator interaction with security assisted by AI and analytics platforms, should be the subject of human factors research. Delivering more enhanced revolutionary potential of intelligent digital technology in the oil and gas industry, will require advancements in these areas.

#### **REFERENCES**

- Abdullah, K., Yiming, ., Muhammad, S., Umair S., & Fuxin, R. Utilizing machine learning and digital twin technology for rock parameter estimation from drilling data (2025). *Journal of Intelligent Construction*. <https://doi.org/10.26599/JIC.2025.9180088>.
- Alabbad, S., & Altinkay, H. An Intelligent Predictive Maintenance Architecture for Substation Automation: Real-World Validation of a Digital Twin and AI Framework of the Badra Oil Field Project (2026). *Electronics* 2026, 15(2), 416; <https://doi.org/10.3390/electronics15020416>.
- Alom, M. Z., Bontupalli, V., & Taha, T. M. (2017). Network intrusion detection for cyber security using unsupervised deep learning. In *2017 IEEE National Aerospace and Electronics Conference (NAECON)* (pp. 63–69). IEEE. <https://doi.org/10.1109/NAECON.2017.8268746>
- Anindra Ageng Jihado; Abba Suganda Girsang: "Hybrid Deep Learning Network Intrusion Detection System Based on Convolutional Neural Network and Bidirectional Long Short-Term Memory". *Journal of Advances in Information Technology*, Vol. 15, No. 2, 2024.
- Balachandran, P. A., & Padmanabhan, V. K (2023). Integrated Operations System: Implementation of a Truly Integrated Digital Oil Field and Development of Digital Twin. *Offshore Technology Conference Brasil*, Rio de Janeiro,

October 2023. Paper Number: OTC-32841-MS.  
<https://doi.org/10.4043/32841-MS>

Barreto, M. Y., Carl M. L., Gilney F. Z., Antonio M. P. L., & Eduardo A. T. (2022). Bayesian Inference and Sensor Fusion Digital Twin for Real-Time Mooring Line Tension Estimation on FPSO Vessels. *Marine Structures*, 82, 103149. <https://doi.org/10.1016/j.marstruc.2021.103149> | Publisher: Elsevier | ISSN: 0951-8339.

Bukhtoyarov, V. V., Gorodov, A. A., Shepeta, N. A., Nekrasov, I. S., Kolenchukov, O. A., Kositsyna, S. S., & Mikhaylov, A. Y. A Physics-Informed Combinatorial Digital Twin for Value-Optimized Production of Petroleum Coke. *Energies* 2026, 19(2), 451; <https://doi.org/10.3390/en19020451>.

Correa, O. C., Mariano, J. S., Amaro, E. P., & Santos, E. N (2023). Process Safety Management in Oil and Gas Operating Units Through Digital Twin Platform: A Digital Approach for Safety Control and Process Intervention. *Offshore Technology Conference Brasil*, Rio de Janeiro, October 2023. Paper Number: OTC-32894-MS. <https://doi.org/10.4043/32894-MS>

Das, R., Werth, A., & Morris, T. (2025). A Convolutional Neural Network LSTM Based Physical Sensor Anomaly Detector for Interdependent SCADA Controllers. *AI Computer Science and Robotics Technology*. 4(1), 1–31. <https://doi.org/10.5772/acrt.20250037>.

Don, M. G., & Rideout, G. A Digital Twinning Methodology for Vibration Prediction and Fatigue Life Prognosis of Vertical Oil Well Drillstrings (2023). *IEEE Access*. <https://doi.org/10.1109/ACCESS.2023.3287864>.

Edje E. A., Chan W, H. Enhanced Non-parametric Sequence-based Learning Algorithm for Outlier Detection in the Internet of Things. Article in Neural Processing Letters · June 2021. <https://www.researchgate.net/publication/350127521>.

Edje, A. E., Abd Latiff, M.S., Weng Howe Chan. IoT data analytic algorithms on edge-cloud infrastructure: A review. *Digital Communications and Networks* (Dec 2023). Journal volume & issue, Vol. 9, no. 6, pp. 1486 – 1515. <https://doi.org/10.1016/j.dcan.2023.10.002>

Fei, S., Shuang, R., Xiang, Y. Z., Hong W. L., & Chao, M. F (2021). A Digital Twin-Based Approach for Optimization and Prediction of Oil and Gas Production.. *Hindawi Mathematical Problems in Engineering* Volume 2021, Article ID 3062841, 8 pages <https://doi.org/10.1155/2021/3062841>

Gehrmann, C., & Martin Gunnarsson (2022). Digital Twin-Based Network Anomaly Detection with Federated Learning for Cybersecurity in Industrial OT/SCADA Systems. *IEEE Transactions on Industrial Informatics*, 18(2), 1201–1214. <https://doi.org/10.1109/TII.2021.3072679> | Publisher: IEEE (Institute of Electrical and Electronics Engineers) | ISSN: 1551-3203

Grieves, M. W., & John, V. (2023). Digital Twin-Based Accelerated Qualification Testing Methodology for Subsea Control Valves Using High-Fidelity Finite Element Analysis. *Journal of Manufacturing Science and Engineering — Transactions of the ASME*, 145(3), 031004.

<https://doi.org/10.1115/1.4055941> | Publisher: ASME International (American Society of Mechanical Engineers) | ISSN: 1087-1357

Kravchik, M., & Shabtai, A. (2018). Detecting cyber-attacks in industrial control systems using convolutional neural networks. In *Proceedings of the 2018 Workshop on Cyber-Physical Systems Security and Privacy (CPS-SPC '18)*, October 19, 2018, Toronto, ON, Canada (pp. 72–83). Association for Computing Machinery. <https://doi.org/10.1145/3264888.3264896>

Ojugo, A. A., Setiadi, I. M., Pribadi, O., Kartikadarma, E., Setyoko, B. H., Widiono, S., Aghaunor, T. C & Ugbotu, E. V. (2025). Research Article Integrating Hybrid Statistical and Unsupervised LSTM Guided Feature Extraction for Breast Cancer Detection. *Journal of Computing Theories and Applications*. ISSN: 3024-9104. 2025 (May), vol. 2, no. 4. <https://doi.org/10.62411/jcta.12698>

Ojugo, A. A., & Ekurume, E (2021). Deep Learning Network Anomaly-Based Intrusion Detection Ensemble For Predictive Intelligence To Curb Malicious Connections: An Empirical Evidence. *International Journal of Advanced Trends in Computer Science and Engineering*, Volume 10, No.3, May - June 2021. ISSN 2278-3091 <https://doi.org/10.30534/ijatcse/2021/851032021>.

Prayogi, S. (2025). Implementation of CNN-Based Computer Vision for Personal Protective Equipment Detection in the Oil and Gas Industry. *Jurnal SISFOKOM (Sistem Informasi dan Komputer)*, Volume 14, Nomor 04, PP 454-460. p-ISSN :2301-7988, e-ISSN: 2581-0588 <https://doi.org/10.32736/sisfokom.v14i4.2459>.

Priyanka, E. B., Thangavel, S., Gao,X., Sivakumar, N. S.(2021). Digital Twin For Oil Pipeline Risk Estimation Using Prognostic and Machine Learning Techniques, *Journal of Industrial Information Integration*, doi: <https://doi.org/10.1016/j.jii.2021.100272>.

Qin H, Huang X, Wang X, Zhou Z (2025) Identification and classification of oil and gas pipeline intrusion events based on 1-D CNN network. *PLoS One* 20(12): e0338205. <https://doi.org/10.1371/journal.pone.0338205>.

Riffat1, J., Doudran, H. A., & Samaei (2025). AI-enhanced damage detection in jack-up rig legs using an improved modal strain energy index: A numerical, experimental, and digital twin-based approach. *Green Technol Innov*. <https://doi.org/10.36922/GTI025340014>.

Rui Sima, Baikang Zhu, Fubin Wang, Yi Wang, Zhiyuan Zhang, Cuicui Li, Ziwen WuAnd Bingyuan Hong (2025). Real-Time Classification of Distributed Fiber Optic Monitoring Signals Using a 1D-CNN-SVM Framework for Pipeline Safety. *Processes* 2025, 13(6), 1825; <https://doi.org/10.3390/pr13061825>

Shen, F., Ren,S. S., Zhang,X. Y., Luo, H. W. & Feng, C. M. (2021). A Digital Twin-Based Approach for Optimization and Prediction of Oil and Gas Production. *Hindawi Mathematical Problems in Engineering* Volume 2021, Article ID 3062841, 8 pages <https://doi.org/10.1155/2021/3062841>.

Tomasov,A., Da Ros, F., Zaviska, P., Dejdard P., Klicnik, O.,Horvath, T.,& Petr Munster, P (2025). Advancing

- Perimeter Security: Integrating DAS and CNN for Object Classification in Fiber Vicinity. *IEEE Access*. <https://doi.org/10.1109/ACCESS.2025.3558594>
- Tose, E. Oziegbe., Abel E. Edje & Maureen Akazue (2026). Enhanced Gated Recurrent Unit Deep Learning Model For Vehicular Networks Anomaly-Based Intrusion Detection. *FUDMA Journal of Sciences (FJS)*. ISSN online: 2616-1370 ISSN print: 2645 - 2944 Vol. 10 No. 2, January, 2026, pp 38 – 44. <https://doi.org/10.33003/fjs-2026-1002-4351>.
- Tose, E. Oziegbe., Abel E. Edje & Maureen Akazue (2025). Anomaly-Based Intrusion Detection In Vehicular Networks Using Gated Recurrent Unit Deep Learning Model-- A Systematic Review. *FUDMA Journal of Sciences (FJS)* ISSN online: 2616-1370 ISSN print: 2645 - 2944 Vol. 9 No. 12, December, 2025, pp 369 – 380 8. <https://doi.org/10.33003/fjs-2025-0912-3993>.
- Umer S., Ullah N. & Kim J (2026). Attention mechanism-based CNN-LSTM hybrid deep learning model for industrial pipeline leak detection. *Sci Rep* (2026). <https://doi.org/10.1038/s41598-026-53776-x>.
- Wei,X., Liu, Q., & Pa, Z (2025). Anomaly Detection in Borehole Strain Data with CNN and Frequency-Aware VAE. *Journal of Advanced Computational Intelligence and Intelligent Informatics* Vol.29 No.6, 2025. <https://doi.org/10.20965/jaciii.2025.p1390>
- Yadav, A., Rajagopalan, S., Purohit, A & Singh, S (2022). Variable Dropout One-Dimensional CNN for Vibration-Based Shaft Unbalance Detection in Industrial Machinery. *Journal of Vibration Engineering & Technologies* <https://doi.org/10.1007/s42417-022-00578-w>
- Zhang, P., Venketeswaran, A., Wright, R. F., Lalam, N., Sarcinelli, E., & Ohodnicki, P. R (2023). Real-Time Pipe Structure Change Detection and Classification using Distributed Acoustic Fiber Sensors Based on Convolutional Neural Network (CNN) Models. <https://doi:10.20944/preprints202304.0959.v1>
- Zhumadillayeva,A., Ahanger, T, A., & Matkarimov, B (2025). An intelligent YOLO and CNN BiGRU framework for road infrastructure based anomaly assessment. *Scientific Reports* (2025) 15:41193. <https://doi.org/10.1038/s41598-025-25030-3>.

